

SEQUENCE LISTING

<110> Max-Delbrück-Centrum für Molekulare Medizin

<120> Chimeric Oligonucleotides and the Use Thereof

<130> 101195-24

<140> 09/423,157

<141> 2000-02-17

<150> DE 197 20 151.2

<151> 1997-05-02

<160> 29

<170> PatentIn Ver. 2.1

<210> 1

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence

oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 31 are phosphodiester

<400> 1

tcagattagt actcgtcaga gtagggta g 31

<210> 2

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence

oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 25 are phosphodiester

<400> 2

tcagattagg actgctcaga gtag 25

<210> 3

<211> 33

<212> DNA

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 33 are phosphodiester

<400> 3
tcagattagt actgctcaga cagtagggt tag 33

<210> 4
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 31 are phosphodiester

<400> 4
tcagattagt actgctcaga gtagagtta g 31

<210> 5
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide, linkages between positions 1 to
19 are phosphorothioates, linkages between
positions 19 to 25 are phosphodiester

<220>
<223> positions 20 to 25
carry 2'-OCH₃ modified ribosyl residues

<400> 5
tcagattagg actgctcaga guuag 25

<210> 6
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide, linkages between positions 1 to 20
are phosphorothioates, linkages between

positions 20 to 27 are phosphodiester,

<220>

<223> positions 21 to 27

carry 2'-OCH₃ modified ribosyl residues

<400> 6

tcagattagg actgctcaga uaguuag

27

<210> 7

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Combined DNA/RNA Molecule:

oligonucleotide, linkages between positions 1 to

19 are phosphorothioates, linkages between

positions 19 to 35 are phosphodiester,

<220>

<223> positions 21 to 35

carry 2'-OCH₃ modified ribosyl residues

<400> 7

tcagattagg actgctcaga guuagggtta gacaa

35

<210> 8

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

oligonucleotide, linkages between positions 1 to

15 are phosphorothioates, linkages between

positions 15 to 17, 19 to 23 and 25 to 30 are

phosphodiester,

<220>

<223> linkages between positions 17 to 19 and 23 to 25

are N3' to N5' phosphoramidates

<400> 8

tcagattagg actgcgtag ggttagacaa

30

<210> 9

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Combined DNA/RNA Molecule:
oligonucleotide, linkages between positions 1 to
15 are phosphorothioates, linkages between
positions 15 to 20 are phosphodiester,

<220>

<223> position 21 n(L)= linker is
3'-O(PO₂)OCH₂CH(CH₂COOH)-(CH₂)₄-NH₂,

<220>

<223> linkages between positions 22 to 34 are
[N-(2-aminoethyl)glycine] methylene carbonyl
residues

<400> 9

tcagattagt actcgtcaga ntagggttag acaa

34

<210> 10

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 31 are phosphodiester,

<220>

<223> position 31 is represented by
3'-azido-2',3'-dideoxyguanosine

<400> 10

tcagattagt actcgtcaga gttagggtta g

31

<210> 11

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
20 are phosphorothioate, linkages between
positions 20 to 28 are N3' to N5'
phosphoramidates

<220>

<223> position 28 is modified by a 3'-aminodeoxyribosyl
residue

<400> 11
aatcctcccc cagttcaccc gttagggt 28

<210> 12
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
18 are phosphorothioates, linkages between
positions 18 to 26 are phosphodiester, linkages
between positions 26-29 are phosphorothioates

<220>
<223> positions 19 to 29 carry 2'-OCH₃ modified ribosyl
residues

<400> 12
tctcccagcg tgcgcatgu uaggguuag 29

<210> 13
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
15 are phosphorothioates,

<220>
<223> linkages between 17 to 22 are modified by
[N-(2-aminoethyl)glycine]methylene carbonyl
residues

<220>
<223> position 16 n(L)= linker is
O(PO₂)-OCH₂-CH-(CH₂COOH)-(CH₂)₄-NH-

<400> 13
atgtatgctg tggctngtta ggagg 25

<210> 14
<211> 23

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
12 are phosphorothioates, linkages between
positions 12 to 23 are N3' to N5'
phosphoramidates

<220>
<223> position 23 is modified by a 3'-aminodeoxyribosyl
residue

<400> 14
gtactgtca gagtagggt tag 23

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
12 are phosphorothioates, linkages between
positions 12 to 20 are N3' to N5' phosphoramidates

<220>
<223> position 20 is modified by a 3'-aminodeoxyribosyl
residue

<400> 15
gtactgtca gagtagggt 20

<210> 16
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
12 are phosphorothioates, linkages between
positions 12 to 20 are phosphodiester, linkages between
positions 20 to 23 are phosphorothioates

<220>
<223> positions 13 to 23 carry 2'-OCH₃ modified
ribosyl residues

<400> 16
gtactgtca gaguuagggg uag 23

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
12 are phosphorothioates,

<220>
<223> linkages between positions 14 to 19 are modified
by [N-(2-aminoethyl)glycine]methylene carbonyl
residues

<220>
<223> position 13 n(L)= linker is
-O(PO₂)-OCH₂-CH-(CH-(CH₂COOH)-(CH₂)₄NH-

<400> 17
gtactgtca gangttagg 19

<210> 18
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
12 are phosphorothioates, linkages between
positions 12 to 20 are phosphodiester, linkages between
positions 20 to 23 are phosphorothioates

<220>
<223> positions 13 to 23 carry 2'-OCH₃ modified ribosyl
residues

<400> 18

ggccagcagc tgguuaggg uag

23

<210> 19
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Combined DNA/RNA Molecule:
oligonucleotide

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to
8 are phosphorothioates, linkages between
positions 8 to 16 are phosphodiester, linkages
between positions 16 to 19 are phosphorothioates

<220>
<223> positions 9 to 19 carry 2'-OCH₃ modified ribosyl
residues

<400> 19
tgctcagagu uaggguuag 19

<210> 20
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence
oligonucleotide, linkages between positions 1 to
8 are phosphorothioates,

<220>
<223> linkages between positions 10 to 15 are modified by
[N-(2-aminoethyl)glycine]methylene carbonyl
residues

<220>
<223> position 9 n(L) = linker is
-O(PO₂)-OCH₂-CH-(CH₂COOH)-(CH₂)₄-NH

<400> 20
tgctcagang ttagg 15

<210> 21
<211> 34
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence
oligonucleotide, linkages between positions 1 to
20 are phosphorothioates,

<220>

<223> linkages between positions 22 to 34 are modified
by [N-(2-aminoethyl)glycine]methylene carbonyl
residues

<220>

<223> position 21 n(L)= linker is
-O(PO2)-OCH2-CH-(CH2COOH)-(CH2)4-NH

<400> 21

tcagacatat actgctcaga ntagggtag acaa

34

<210> 22

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence
oligonucleotide, linkages between positions 1 to
10 are phosphorothioates, linkages between
positions 10 to 15 are N3' to N5' phosphoramidates

<220>

<223> position 15 is modified by a 3'-aminodeoxyribosyl
residue

<400> 22

actgctcaga gtag

15

<210> 23

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Combined DNA/RNA Molecule:
oligonucleotide

<220>

<223> Description of Artificial Sequence
oligonucleotide, linkages between positions 1 to
10 are phosphorothioates, linkages between
positions 10 to 21 are phosphodiester

<220>

<223> positions 11 to 21 carry 2'-OCH₃ modified ribosyl residues

<400> 23
actgctcaga guuaggguaa g 21

<210> 24
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to 12 are phosphorothioates,

<220>
<223> linkages between positions 14 to 24 are modified by [N-(2-aminoethyl)glycine]methylene carbonyl residues

<220>
<223> position 13 n (L)= linker is =
O(PO₂)-OCH₂-CH-(CH₂COOH)-(CH₂)₄-NH-

<400> 24
atactgtca gangttaggg ttag 24

<210> 25
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
oligonucleotide, linkages between positions 1 to 15 are phosphorothioates, linkages between positions 15 to 26 are N3' to N5' phosphoramidates

<220>
<223> position 26 is modified by a 3'-aminodeoxyribosyl residue

<400> 25
ttagtactgc tcagagttag ggtag 26

<210> 26
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 25 are N3' to N5' phosphoramidates

<220>

<223> position 25 is modified by a 3'-aminodeoxyribosyl
residue

<400> 26

tcagattagt actgctcaga gttag

25

<210> 27

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

oligonucleotide, linkages between positions 1 to
20 are phosphorothioates, linkages between
positions 20 to 31 are N3' to N5' phosphoramidates

<220>

<223> position 31 is modified by a 3'-aminodeoxyribosyl
residue

<400> 27

tcagattagt actgctcaga gttagggttag

25

<210> 28

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

oligonucleotide, linkages between positions 1 to
10 are phosphorothioates, linkages between
positions 10 to 21 are N3' to N5' phosphoramidates

<220>

<223> position 21 is modified by a 3'-aminodeoxyribosyl
residue

<400> 28

actgctcaga gttagggtta g

21

<210> 29

<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: telomeric
DNA of man

<400> 29
ttaggg

6

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50